Formulae and relative masses

Pearson Edexcel 1CH0 Separate Chemistry · Foundation and Higher

Show your working where needed.

Name _____ Date _____

1. Read a formula

How many atoms of each element are represented by the formula $Mg(OH)_2$?

2. Build a neutral formula

Aluminium ions are Al^{3+} and oxide ions are O^{2-}. Work out the formula of aluminium oxide and show that its overall charge is zero.

3. Polyatomic ions

Calcium ions are Ca^{2+} and nitrate ions are NO_3^-. Write the formula of calcium nitrate and check that the charges balance.

Scan to try fresh questions online

Try a core or harder question. Use clues and worked answers.

gcse.chemistryhelp.co.uk/worksheets/edexcel-formulae-and-relative-masses/

Formulae and relative masses

Pearson Edexcel 1CH0 Separate Chemistry · Foundation and Higher

4. Relative formula mass

Calculate the relative formula mass of $Al_2(SO_4)_3$. Use A_r values Al = 27, S = 32 and O = 16.

5. Percentage of a metal

Calculate the percentage by mass of iron in Fe_2O_3. Use A_r values Fe = 56 and O = 16.

6. Compare magnesium content

A gardener wants the higher percentage of magnesium by mass. Compare MgO with $MgCO_3$. Use A_r values Mg = 24, C = 12 and O = 16. Round to one decimal place.

Scan to try fresh questions online

Try a core or harder question. Use clues and worked answers.

gcse.chemistryhelp.co.uk/worksheets/edexcel-formulae-and-relative-masses/

Formulae and relative masses

Pearson Edexcel 1CH0 Separate Chemistry · Foundation and Higher

7. Mass on the balance

Hydrochloric acid reacts with marble chips in an open flask. The measured mass falls from 153.8 g to 151.6 g. Identify what escaped and calculate its mass. Assume there were no other losses.

8. Check a supplier’s label

Two pure powders are labelled $CaCO_3$ and $Ca(OH)_2$. Analysis shows that one contains 54.1% calcium by mass. Identify it. Use A_r values Ca = 40, C = 12, O = 16 and H = 1.

9. Extra challenge · Choose a source of chloride

A process needs at least 15.0 g of chloride. There is a 28.0 g sample of KCl and a 24.0 g sample of $CaCl_2$. Each sample is pure and dry. Use the formulae to decide which sample, if either, is sufficient. Use Ar values K = 39.0, Ca = 40.0 and Cl = 35.5.

Scan to try fresh questions online

Try a core or harder question. Use clues and worked answers.

gcse.chemistryhelp.co.uk/worksheets/edexcel-formulae-and-relative-masses/