Materials, metals and corrosion

Edexcel GCSE Chemistry (1CH0) · Foundation and Higher

Show your working where needed. Check the worked answers when you finish.

Name _____ Date _____

1. Conditions for rusting

After a week, nail A in dry air and nail C in oxygen-free water have not rusted. Nail B in air and water has rusted. Explain what comparing B with A and B with C tells you.

2. Protecting a scratched coating

A steel panel has a thin zinc coating. Explain how the coating protects it when intact and why the zinc can still protect the iron after a small scratch.

3. Comparing copper and brass

Brass is harder to deform than pure copper. Brass contains copper and zinc atoms of different sizes. Explain the difference in hardness at the level of atoms.

Scan to try fresh questions online

Try a core or harder question. Use clues and worked answers.

gcse.chemistryhelp.co.uk/worksheets/edexcel-materials-and-metals/

Materials, metals and corrosion

Edexcel GCSE Chemistry (1CH0) · Foundation and Higher

4. Choose a laboratory vessel

A vessel needs to let a pupil see its contents, withstand 170 °C and weigh below 70 g. Polymer P is transparent and has limits of 130 °C and 34 g. Glass G is transparent and has limits of 240 °C and 62 g. Clay ceramic C is opaque and has limits of 550 °C and 65 g.

Choose a material and explain why each alternative fails.

5. Choose an extraction method

A metal producer has ores containing aluminium oxide and iron oxide. For each oxide, choose between carbon reduction and electrolysis. Use the relative positions of aluminium, iron and carbon in the reactivity series to justify your choices.

6. Cost and environmental effect

On the same basis, making 1 tonne of a metal from ore uses 14 GJ and makes 1.8 tonnes CO_2 equivalent. Making it from scrap uses 5 GJ and makes 0.7 tonnes. Compare the two routes and give a cost the figures miss.

Scan to try fresh questions online

Try a core or harder question. Use clues and worked answers.

gcse.chemistryhelp.co.uk/worksheets/edexcel-materials-and-metals/

Materials, metals and corrosion

Edexcel GCSE Chemistry (1CH0) · Foundation and Higher

7. Higher · recovering copper

A plant-based process produces ash containing copper compounds. A bacterial process produces a solution containing copper ions. A learner says both products are samples of copper metal. Explain the error, give a method for obtaining metal from the solution and state a reason for using low-grade ore.

8. Compare two nanoparticles

A manufacturer can make a coating from 2 nm or 6 nm cubes of the same material. Calculate the surface-area-to-volume ratio for each. Which offers more exposed surface for the same total volume of the material, if the particles stay separated?

9. Extra challenge · Evaluate a nanoparticle coating

Two coatings use the same total volume of separated cube-shaped particles. The side length is 3 nm in A and 9 nm in B. Calculate the surface-area-to-volume ratio for each type of cube.

Explain which coating exposes more particle surface. Give one reason the maker should gather safety evidence before adopting that option.

Scan to try fresh questions online

Try a core or harder question. Use clues and worked answers.

gcse.chemistryhelp.co.uk/worksheets/edexcel-materials-and-metals/

Worked answers

Materials, metals and corrosion · Edexcel GCSE Chemistry (1CH0) · Foundation and Higher

1. Conditions for rusting

B rusts while A does not, showing that water is needed when air is present. B rusts while C does not, showing that oxygen is needed when water is present.

2. Protecting a scratched coating

An intact coating keeps water and oxygen from the steel. Zinc is more reactive than iron, so it is oxidised in preference to the exposed iron. This is sacrificial protection.

3. Comparing copper and brass

The zinc atoms disrupt the regular layers of copper atoms. The layers are harder to slide past one another, so brass resists deformation more than pure copper.

4. Choose a laboratory vessel

Choose glass G. It is transparent, tolerates more than 170 °C and weighs less than 70 g. P softens below 170 °C. C prevents the pupil from seeing the contents.

5. Choose an extraction method

Aluminium is more reactive than carbon, so carbon cannot reduce its oxide. Use electrolysis with aluminium oxide in a molten electrolyte. Iron is less reactive than carbon, so its oxide can be reduced using carbon or carbon monoxide.

Scan to try fresh questions online

Try a core or harder question. Use clues and worked answers.

gcse.chemistryhelp.co.uk/worksheets/edexcel-materials-and-metals/

Worked answers

Materials, metals and corrosion · Edexcel GCSE Chemistry (1CH0) · Foundation and Higher

6. Cost and environmental effect

For each tonne of metal, the scrap route saves 14 − 5 = 9 GJ and avoids 1.8 − 0.7 = 1.1 tonnes CO_2 equivalent. The energy and emissions figures do not tell us the cost of collecting or sorting scrap.

7. Higher · recovering copper

The ash still contains copper compounds and the solution contains copper ions. To get copper metal from the solution, use electrolysis or displace the copper with iron.

These methods can use material with a copper content too low for conventional extraction to be economical.

8. Compare two nanoparticles

For a cube of side a, surface area ÷ volume = $6a^2 \div a^3 = 6 \div a$. The ratios are 3 nm^{-1} and 1 nm^{-1}, respectively. The 2 nm particles give the larger surface area for the same volume of material.

9. Extra challenge · Evaluate a nanoparticle coating

A cube with side a has surface area $6a^2$ and volume a^3. For A the ratio is 6 ÷ 3 = 2.0 nm^{-1}. For B it is 6 ÷ 9 ≈ 0.67 nm^{-1}.

A exposes three times as much particle surface for the same volume of separated material. Smaller particles may behave differently in the body or environment. Test whether they can enter the body during normal use or escape into water during disposal.

Scan to try fresh questions online

Try a core or harder question. Use clues and worked answers.

gcse.chemistryhelp.co.uk/worksheets/edexcel-materials-and-metals/